




# ZSA S.A. DE C. V. MEXICO



## 32926 NSK Single row bearings inch

Bearing No. 32926

Size	130x180x32 mm
Bore Diameter	130 mm
Outer Diameter	180 mm
Width	32 mm
d	130 mm
D	180 mm
T	32 mm
B	30 mm
C	26 mm
a	34,7 mm
r min.	2 mm
r1 min.	1,5 mm
da min.	142 mm
Da min	168 mm
Da max.	171 mm
db max.	141 mm
Db min.	175 mm
ra max.	2 mm
rb max.	1,5 mm
Weight	2,25 Kg
Basic dynamic load rating (C)	167 kN
Basic static load rating (C0)	281 kN
(Grease) Lubrication Speed	1800 r/min
(Oil) Lubrication Speed	2400 r/min
Calculation factor (e)	0,36
Calculation factor (Y0)	0,92

32926 Bearing 2D drawings and 3D CAD models



## ZSA S.A. DE C. V. MEXICO

Category	Tapered Roller Bearing Assemblies
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	2.25
Product Group	B04334
Precision Class	Standard
Component	Assembly
Basic Number	32926
Number of Tapered Rows	Single Row
Inch - Metric	Metric
Other Features	Standard Angle   Pressed Steel Cage
Long Description	Assembly; Standard Precision; 130MM Bore; 180MM Outside Diameter; 32MM Assembly Width; Single Row of Rollers
Category	Tapered Roller Bearings Assembly
UNSPSC	31171516
Harmonized Tariff Code	8482.20.00.00
Noun	Bearing
Keyword String	Tapered
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	32926
Weight / LBS	4.96
Flange Outside Diameter	0 Inch   0 Millimeter
Outside Diameter	7.087 Inch   180 Millimeter
Assembly Width	1.26 Inch   32 Millimeter
Bore	5.118 Inch   130 Millimeter
LangID	1



## ZSA S.A.DE C. V. MEXICO

outer r	1.5
D_	180
TC-BET22	0
TC-BET21	2
TC-BET23	0
inner r	2
mass	2.25
GRS rpm	1800
D_b	175
Cr	17000
TC-RA	371.854
DE_	168.242
T-ALP23	0
db	141
T-ALP22	0
Prod_Type3	TRBSR_MD_A
da	142
T-ALP21	27
Iso	-
ALPHA_	13.5
SDM_	156.224
SBRG	29
D_a2	168
hidYobi	32926
Y1	1.7
D_a1	171
B_	30
hidTable	ecat_NSTPRM
Oil rpm	2400
C0r	28600
Y0	0.92
TC-SLR	20



## ZSA S.A.DE C. V. MEXICO

inner ra	2
outer rb	1.5
C0	281
Sa	6
Sb	6
e	0.36
DA_	12.631
Z_	30
C_	26
yobi	32926
TC-DA1	12.979
TC-DA2	12.283
KBRG	3111
DI_	144.205