



ZSA S.A. DE C. V. MEXICO



32334 NSK Single row bearings inch

Bearing No. 32334

Size	170x360x127 mm
Bore Diameter	170 mm
Outer Diameter	360 mm
Width	127 mm
d	170 mm
D	360 mm
T	127 mm
B	120 mm
C	100 mm
a	91,3 mm
r min.	5 mm
r1 min.	4 mm
da min.	202 mm
Da min	297 mm
Da max.	342 mm
db max.	213 mm
Db min.	337 mm
ra max.	4 mm
rb max.	3 mm
Weight	57 Kg
Basic dynamic load rating (C)	1370 kN
Basic static load rating (C0)	2050 kN
(Grease) Lubrication Speed	1000 r/min
(Oil) Lubrication Speed	1300 r/min
Calculation factor (e)	0,37
Calculation factor (Y0)	0,88

32334 Bearing 2D drawings and 3D CAD models



ZSA S.A.DE C. V. MEXICO

Category	Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	54
Product Group	B04334
LangID	1
outer r	4
D_	360
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	5
mass	57
GRS rpm	1000
D_b	337
Cr	140000
TC-RA	691.046
DE_	311.933
T-ALP23	0
db	213
T-ALP22	0
Prod_Type3	TRBSR_MD_A
da	202
T-ALP21	28
Iso	-
ALPHA_	14
SDM_	268.25
SBRG	23
D_a2	297
hidYobi	32334
Y1	1.6



ZSA S.A.DE C. V. MEXICO

D_a1	342
B_	120
hidTable	ecat_NSTPRM
Oil rpm	1300
C0r	209000
Y0	0.88
TC-SLR	88
inner ra	4
outer rb	3
C0	2050
Sa	10
Sb	27
e	0.37
DA_	45.175
Z_	15
C_	100
yobi	32334
TC-DA1	48.231
TC-DA2	42.118
KBRG	3111
DI_	224.566